



## SAFETY DATA SHEET

### Floorwise F500 Silicone Sealant Cartridge (Clear and White)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Floorwise F500 Silicone Sealant Cartridge (Clear and White)

**Container size** 300ml

**EU REACH registration notes** All chemicals used in this product have been registered under REACH where required.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Sealant.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Floorwise Group Ltd  
Floorwise House  
22 High Street  
Kegworth  
Derby  
DE74 2DA  
Tel: 01509 673 974  
Fax: 01509 674 841

##### 1.4. Emergency telephone number

**Emergency telephone** Floorwise: +44 (0) 1509 673 974 (Mon-Fri 09:00-17:00)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

##### 2.2. Label elements

###### Hazard pictograms



**Signal word** Danger

**Hazard statements** H315 Causes skin irritation.  
H318 Causes serious eye damage.

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

<b>Precautionary statements</b>	<p>P264 Wash skin thoroughly after handling.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p>
<b>Supplementary precautionary statements</b>	<p>P321 Specific treatment (see medical advice on this label).</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<p><b>Propyltriacetoxysilane</b> <span style="float: right;">1-5%</span></p> <p>CAS number: 17865-07-5                      EC number: 241-816-9</p>
<p><b>Classification</b></p> <p>Skin Corr. 1B - H314</p>
<p><b>Methylsilanetriyl triacetate</b> <span style="float: right;">1-5%</span></p> <p>CAS number: 4253-34-3                      EC number: 224-221-9</p>
<p><b>Classification</b></p> <p>Acute Tox. 4 - H302</p> <p>Skin Corr. 1B - H314</p>

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

**Notes for the doctor**                      Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media**    Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards**                      Not known.

**Hazardous combustion products**    Toxic gases or vapours. Oxides of carbon.

#### 5.3. Advice for firefighters

**Protective actions during firefighting**    Wear protective clothing to prevent contact with skin and eyes.

**Special protective equipment for firefighters**    Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Provide adequate ventilation. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions**    Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**                      Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

**Reference to other sections**    Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**                      Provide adequate ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes.

**Advice on general occupational hygiene**    Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store in a cool and well-ventilated place. Keep container tightly closed. Only store in correctly labelled containers.

#### 7.3. Specific end use(s)

**Specific end use(s)**                      The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

No exposure limits known for ingredient(s).

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Ensure that the direction of airflow is clearly away from the worker.

#### Personal protection

Wear protective clothing.

#### Eye/face protection

Tight-fitting safety glasses. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Personal protective equipment that provides appropriate eye and face protection should be worn.

#### Hand protection

To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

#### Other skin and body protection

Provide eyewash station.

#### Hygiene measures

Wash promptly with soap and water if skin becomes contaminated. When using do not eat, drink or smoke.

#### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Full face mask respirators with replaceable filter cartridges suitable for intended use should be used. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Paste.
Colour	Clear. White.
Odour	Characteristic.
Odour threshold	Not available.
pH	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0.9 - 1.0 @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Not available.

### 9.2. Other information

Particle size	Not applicable.
Volatile organic compound	28.3g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

### 10.4. Conditions to avoid

Conditions to avoid	No specific requirements are anticipated under normal conditions of use.
---------------------	--

### 10.5. Incompatible materials

Materials to avoid	No data available.
--------------------	--------------------

### 10.6. Hazardous decomposition products

Hazardous decomposition products	Toxic gases or vapours. Oxides of carbon.
----------------------------------	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

Summary	Based on available data the classification criteria are not met.
---------	--

#### Acute toxicity - dermal

Summary	Based on available data the classification criteria are not met.
---------	--

#### Acute toxicity - inhalation

Summary	Based on available data the classification criteria are not met.
---------	--

#### Skin corrosion/irritation

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

<b>Summary</b>	Causes skin irritation.
<b><u>Serious eye damage/irritation</u></b>	
<b>Summary</b>	Causes serious eye damage.
<b><u>Respiratory sensitisation</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.

### Toxicological information on ingredients.

#### Methylsilanetriyl triacetate

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub>  
mg/kg) 1,600.0

Species Rat

ATE oral (mg/kg) 1,600.0

### SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

#### 12.1. Toxicity

**Toxicity** Not regarded as dangerous for the environment

#### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

#### 12.4. Mobility in soil

**Mobility** No data available.

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Do not reuse empty containers.

**Waste class** 08 04 09\* Waste adhesives and sealants containing organic solvents or other hazardous substances

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not classified.

### 14.2. UN proper shipping name

Not classified.

### 14.3. Transport hazard class(es)

Not classified.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78 and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** Control of Substances Hazardous to Health Regulations 2002 (as amended). Health and Safety at Work etc. Act 1974 (as amended).

**Authorisations (SI 2020 No. 1577 Annex XIV)** No specific authorisations are known for this product.

## Floorwise F500 Silicone Sealant Cartridge (Clear and White)

**Restrictions (SI 2020 No. 1577 Annex XVII)** No specific restrictions on use are known for this product.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Issued by</b>	Technical Department
<b>Revision date</b>	01/02/2021
<b>Revision</b>	3
<b>Supersedes date</b>	05/08/2019
<b>SDS number</b>	21734
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.