

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : One Coat DPM *Fast* - Resin
Type of product : Liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use, Industrial use

1.2.2. Uses advised against

None identified

1.3. Details of the supplier of the safety data sheet

Manufacturer

Kelmores Ltd
The Dell
Berry Way
Chorley
PR7 6RA

e-mail address of person responsible for this SDS: info@kelmore.co.uk

1.4. Emergency telephone number

Telephone number : +44 (0) 1257 830511 *Office hours only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to UK CLP/GHS

Skin corrosion/irritation – Category 2	H315
Skin Sensitiser – Category 1	H317
Eye irritation – Category 2	H319
Aquatic Chronic – Category 2	H411

Full text of H statements : see section 16

See section 11 for more detailed information on health effects and symptoms.

2.2. Label elements

Hazard Pictograms



Signal Word

: Warning

Hazard Statements

: H315 – Causes skin irritation.
: H317 – May cause an allergic skin reaction.
: H319 – Causes serious eye irritation.
: H411 – Toxic to aquatic life with long lasting effects.

Precautionary statements

: P102 - Keep out of reach of children.
: P261 - Avoid breathing vapours

Safety Data Sheet

One Coat DPM Fast - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

- : P264 – Wash skin thoroughly after handling.
- : P273 – Avoid release to the environment.
- : P280 – Wear protective gloves/protective clothing/eye protection/face protection.
- P302 – IF ON SKIN: Wash with plenty of water.
- : P305+P351+P338 - IF IN EYES: Rinse CAUTIOUSLY with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
- : P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : Bis[4-(2,3-epoxy propoxy) phenyl] propane and Alkyl C12-C14 alcohol glycidyl ether

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Type
Bis[4-(2,3-epoxy propoxy) phenyl] propane	(CAS-No.) 1675-54-3 (EC-No.) 216-823-5	30 – 50	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aq Chronic 2, H411 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	[1]
Alkyl C12-C14 alcohol glycidyl ether	(CAS-No.) 68609-97-2 (EC-No.) 271-846-8	1 - 10	Skin Irrit. 2, H315 Skin Sens 1, H317	[1]

Type

[1] Substance classified with a health or environmental hazard

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general** : Get medical advice/attention if you feel unwell.
- First-aid measures after inhalation** : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact** : If skin irritation occurs: Get medical advice/attention. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure.
- First-aid measures after eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- First-aid measures after ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain, watering, redness
- Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing
- Skin Contact** : Adverse symptoms may include the following: pain, irritation, redness, blistering

Safety Data Sheet

One Coat DPM *Fast* - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

Ingestion : Adverse symptoms may include the following: stomach pains

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

Specific treatments : No specific treatment

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Suitable extinguishing media for the surrounding fire should be used.

Unsuitable extinguishing media : Non known.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Toxic fumes may be released.

5.3. Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters.

6.1.1. For non-emergency personnel

Emergency procedures : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Protective equipment : Put on appropriate personal protective equipment

6.1.2. For emergency responders

Emergency procedures : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage using bunding.

Methods for cleaning up : Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.

Other information : Dispose of materials or solid residues at an authorized site or via a licensed waste disposal contractor.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Wear personal protective equipment.

Safety Data Sheet

One Coat DPM *Fast* - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Heat sources.

Incompatible materials : Sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available.

8.1.2 Recommended monitoring procedures

No additional information available

8.1.3 Air contaminants formed

No additional information available

8.1.4 DNEL AND PNEC

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment:

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: disposable particulate mask(P2)(EN143)

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Blue

Odour : Odourless

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not relevant

Freezing point : Not relevant

Boiling point : >200C

Flash point : >150C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.65 g/cm³

Solubility : No data available

Log Pow : No data available

Safety Data Sheet

One Coat DPM *Fast* - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Based on available data, the classification criteria are not met.
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met.
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met.
Skin corrosion/irritation	: Causes skin irritation
Serious eye damage/irritation	: Causes serious eye damage
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Endocrine disrupting properties	: Based on available data, the classification criteria are not met.
Other information	: Not available

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified. (Based on available data, the classification criteria are not met)
Chronic aquatic toxicity	: Toxic to the aquatic environment with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Safety Data Sheet

One Coat DPM Fast - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

12.6. Endocrine disrupting properties

No known significant effects or critical hazards.

12.6. Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste






: Yes

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3082	3082	3082	3082	3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, (Bis[4-(2,3-epoxy propoxy) phenyl] propane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, (Bis[4-(2,3-epoxy propoxy) phenyl] propane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, (Bis[4-(2,3-epoxy propoxy) phenyl] propane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, (Bis[4-(2,3-epoxy propoxy) phenyl] propane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, (Bis[4-(2,3-epoxy propoxy) phenyl] propane)
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
YES	YES	YES	YES	YES

No supplementary information available

14.6. Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB)/REACH

Contains no REACH substances Annex XIV - List of substances subject to authorization

Contains no REACH substances with Annex XVII restrictions

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Safety Data Sheet

One Coat DPM *Fast* - Resin

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Full text of H- and EUH-statements:	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ATE = Acute Toxicity Estimate

GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = GB CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

vPvB = Very Persistent and Very Bioaccumulative

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, the above named supplier does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.